Aura Cocoon® - One Pax





Optimal Performance

1.99ATA

Automated Air-Break™ Technology

Adjustable Pressure Settings by 0.1

Tailored Mode Settings

Dual All-In-One Touch Screen Panel

Silent Relief Valves <60 decibels

Water-Cool Air-Conditioner for rapid

cooling as compared to Air-Cool





Quality

Made of Carbon Steel - 3X Stronger than Aluminium Alloy to withstand constant pressure for a prolonged period of time

Automated Pressure Release Feature

High Resistance Plexiglass Door

High Efficacy - Up To 1.99ata

Glass Windows and Door to prevent claustrophobia

Specifications

Oxygen Flow: 10L/min

Oxygen Concentration: Up To 96%

Gold Class Standard - From Singapore

Designed and Assembled in Singapore. Adheres to strict safety standards in Singapore. Burst tested beyond its recommended pressure to ensure the highest safety.

AeroPure System with Dehumidfier and Automatic Condensation Drainage to prevent the buildup of mould and bacteria

High-Efficiency Particulate Air (HEPA) Filters with laboratory grade hoses to eliminate odour and reduce dust build-up.

Luxurious Leather Interior - Customisable Shades Comfort

Aromatherapy Scents Capability

Integrated Bluetooth Audio and Movie Capabilities

Leather Sofa Recliner

Emergency Safety Stop Buttons Safety

Emergency Relief Valves

Dual Communication Device

Safety Passcode To Administer Pressure > 1.5ata

End-To-End Service

Protocols Advisory and **HBOT** HBOT

Operational and Safety Training

Regular Service and Maintenance inclusive of HEPA Air Filters replacement and Safety Tests

Warranty

3 Years Warranty*

*warranty applies with yearly service subscription

Specifications

Dimensions:

1700mm (L), 1400mm (W), 1800mm (H)

Assemble On-Site

Voltage: 220 - 240V


Maximum Power: 4.5 KVA


Weight: 720kg


COCOON®

Where Wellness Meets Luxury
















1 Pax Aura Cocoon®: 1.99 ATA Specifications



| Main Cocoon® External Dimension | L1700mm x W1400mm x H1800mm |
|---|---|
| Maximum Atmospheric Pressure | 1.99 ATA |
| Oxygen Supply Mechanism | Oxygen Delivery Headset/Mask/Nasal Cannula |
| Oxygen Supply Concentration | 93%±3% |
| Power Voltage | AC220V-240V |
| Maximum Power (including Air Chiller & Apparatus Cabinet) | 4.5KVA |
| Power Requirements | The cross-sectional area of the conductor for each power cable must be at least 2.5 mm². 2 main electrical lines to be at least 4mm². Air Conditioner will be connected to a 13A wall socket Main equipment will be connected to a 20A isolator switch. |
| Apparatus Cabinet Dimension and Weight | L730mm×W700mm×H1362mm |
| Air Chiller Dimension and Weight | L470mm×W380mm×H590mm |
| Gross Weight (Main Cocoon®) | 720KG Approx |
| Maximum Capacity | 1 Person |
| Equipment To Wall Space Required | At least 50cm |
| Minimum Space Requirement | 2.5m by 1.4m |